Satellite Accumulation Area Inspection Log

Waste Storage Area:		Month:	Year:
Room:	Building		

Each SAA must be inspected once a week to ensure all of the following:

Document:

- Incompatible wastes are not stored together and containers are not more than one wide against walls of the area;
- Waste containers are clean and free of spill residue, not rusting, leaking, or bulging;
- Aisles are clear (At least 36" of aisle space where possible)
- Start dates are written on every container's label for spent waste;
- Hazard determinations have been made for every waste container;
 - By default your waste must be labeled "Hazardous Waste." If you or Safety and Environmental Management (SEM) determines your waste is not hazardous then label your container "Non-Hazardous Waste."
 - Use the Chemical Pickup and Disposal Request form for expired, stock chemicals OR the Hazard Determination Form (Spent Waste) for accumulated waste.
- All containers of waste are closed unless immediately adding waste;
 - o A "closed" container will contain the contents if it's accidentally tipped over.
- No duplicate containers of the same hazardous waste stream;
- No more than 55 gallons of hazardous waste (200 kg) or 1qt (1kg) of acutely hazardous waste;
- All full containers are dated and a request has been made to SEM to have the waste collected within 72 hours (3 business days).

		No
Wastes stored properly, in acceptable containers, & aisles clear.		
Wastes stored properly, in acceptable containers, & aisles clear.		
Wastes stored properly, in acceptable containers, & aisles clear.		
Wastes stored properly, in acceptable containers, & aisles clear.		
Wastes stored properly, in acceptable containers, & aisles clear.		
Wastes stored properly, in acceptable containers, & aisles clear.		
D" is selected above:		
	Wastes stored properly, in acceptable containers, & aisles clear. Wastes stored properly, in acceptable containers, & aisles clear. Wastes stored properly, in acceptable containers, & aisles clear. Wastes stored properly, in acceptable containers, & aisles clear.	Wastes stored properly, in acceptable containers, & aisles clear. Wastes stored properly, in acceptable containers, & aisles clear. Wastes stored properly, in acceptable containers, & aisles clear. Wastes stored properly, in acceptable containers, & aisles clear. Wastes stored properly, in acceptable containers, & aisles clear.

Send/fax a copy of this SAA log to Dale at Safety and Environmental Management (SEM) - 7 York Village at the end of each month. Fax 581-4085

Note: Please keep copies of your SAA logs for the current year and previous year.