






Risks and benefits of pest management methods


Gary Fish

State Horticulturist-DACF
gary.fish@maine.gov



Why this topic?

- ❖ I love Maine
- I worry about the future for our next generations
- I worry about the lack of trust in science
- I worry about the lack of trust in government and industry





First and foremost, I am a father and want my children and hopefully, grandchildren, to enjoy a livable world

Middle East faces severe wheat crisis over war in Ukraine

Middle Eastern and North African countries rely heavily on wheat imports from Russia and Ukraine. The current war could lead to a severe food crisis in a region already under pressure.











Ukrainian and Russian wheat has been crucial for the Middle East's food security

Europe Eyes Grains Import Waiver Amid War Shock, Spain Says


- Minister Planas proposes temporary lift ban on some GMO crops
- EU must aim to have output goals for protein crops, fertilizer



Photographer: Daniel Acker/Bloomberg

Will there be food shortages?

Will we be able to feed the world



According to estimates compiled by the Food and Agriculture Organization (FAO), by 2050 we will need to produce 60 per cent more food to feed a world population of 9.3 billion






Panta Rhei...

Everything is always moving and changing




Seeing all those Roundup commercials? That's because lawyers have spent \$60M on them this year



Why worry?

- Public opinions are swayed by lawyers, social media and Madison Avenue
- Honest work done by risk assessors and scientists all over the world is drowned out
- Political decisions often disregard the science in favor of public opinion
- ❖ The pursuit of a "clean" risk free life is wishful thinking and likely to backfire





https://www.magellantv.com/articles/the-insect-apocalypse-and-pesticides-has-rachel-carsons-silent-spring-arrived

Since Silent Spring

- Do we remember what it was like in the 60s?
- What has changed?
- Have the changes improved sustainability and water quality?


Our national bird may be one indicator







Major changes in my lifetime



INSECTICIDES AND RATES OF APPLICATION

The earworm may be controlled by 2 applications of insecticide at 5-day intervals. The first application should be made when the eggs are first detected on the silk. Several insecticides are effective. Of these, DDT and DDD are outstanding. Emulsions are more effective than wettable powders. Adding mineral oil increases the effectiveness of wettable powders but not of emulsions.

On large acreages, apply one of the following:

DDT, 20% emulsifiable concentrate 1 gallon Water 24 gallons

or

DDD, 50% wettable powder Water 8 pounds 25 gallons

ATTRIBUTE® SWEET CORN TRAIT STACKS

Insect Control

Attribute Trait stacks	Attribute*Plus Trait stacks	Attribute II
Cry1Ab	Vip3A + Cry1Ab	Vip3A + Cry1Ab




Attribute Plus and Attribute II Spectrum of Control			
Beet Armyworm	Dingy Cutworm	Southwestern Corn Bore	
(Spodoptera exigua)	(Feltia jaculifera)	(Diatraea grandiosella)	
Black Cutworm	European Corn Borer	Sugarcane Borer	
(Argotis ipsilon)	(Ostrinia nubilalis)	(Diatraea saccharalis)	
Common Stalk Borer	Fall Armyworm	Western Bean Cutworm	
(Papaipema nebris)	(Spodoptera frugiperda)	(Striacosta albicosta)	
Corn Earworm (Helicoverpa zea)	Southern Cornstalk Borer (Diatraea crambidoides)		

https://www.syngenta-us.com/

DDT to Bacillus thuringiensis





he great expectations held for DDT have been realized. During 1946, exhaustive scientific tests have shown that, when properly used, DDT kills a host of destructive insect pests, and is a benefactor of all humanity.

Pennsalt produces DDT and its products in all standard forms and is now

one of the country's largest producers of this amazing insecticide. Today, everyone can enjoy added comfort, health and safety through the insectkilling powers of Pennsalt DDT products . . . and DDT is only one of Pennsalt's many chemical products which benefit industry, farm and home.

Pressures on poor countries to

because of fears that its use

have led to a resurgence of

malaria in the world, yet the

environmental impact of its use

would harm the environment

ban the insecticide DDT

are "negligible,"



OOD FOR STEERS - Beef grows meatier owadays . . . for it's a scientific fact thatompared to untreated cattle-beef-steers ain up to 50 pounds extra when protected om horn flies and many other pests with



GOOD FOR FRUITS - Bigger apples, juicier fruits that are free from unsightly worms ... all benefits resulting from DDT dusts and sprays.



97 Years' Service to Industry . Farm . Home



to make healthier, more comfortable homes . . protects your family from Knox-Out DDT Powders and Sprays as directed . . . then watch the bugs "bite

> shown crop increases like this! DDT dusts and sprays help

> truck farmers pass these gains

along to you.



Knox FOR DAIRIES—Up to 20% more milk . . . more butter . . . more cheese . . . tests prove greater milk production when dairy cows are protected from the annovance of many insects with DDT insecticides like Knox-Out Stock and Barn Spray.




Knox FOR INDUSTRY—Food processing plants, laundries, dry cleaning plants hotels . . . dozens of industries gain effective bug control. more pleasant work conditions with Pennsalt DDT products,




PENNSYLVANIA SALT MANUFACTURING COMPANY

WIDENER BUILDING, PHILADELPHIA 7, PA.

Reasonable certainty of no harm



Prior to 1996 FQPA




Aggregate and Cumulative Risk Cup

After 1996 FQPA



- mandated a single, health-based standard for all pesticides in all foods
- provided special protections for infants, children and immune compromised
- expedited approval of safer pesticides
- required periodic re-evaluation of pesticide registrations and tolerances to ensure that the scientific data supporting pesticide registrations remain up to date



Think First... Spray Last!

Integrated Pest Management



Benefits and risks of GM foods





Review

Myths and Realities about Genetically Modified Food: A Risk-Benefit Analysis


Angelo Vega Rodríguez ¹, Cristina Rodríguez-Oramas ¹, Esther Sanjuán Velázquez ¹, Arturo Hardisson de la Torre ², Carmen Rubio Armendáriz ² and Conrado Carrascosa Iruzubieta ¹,*

- Department of Animal Pathology and Production, Bromatology and Food Technology, Faculty of Veterinary, University of Las Palmas de Gran Canaria, 35413 Las Palmas de Gran Canaria, Spain; angelo.vega101@alu.ulpgc.es (A.V.R.); cristina.rodriguez117@alu.ulpgc.es (C.R.-O.); esther.sanjuan@ulpgc.es (E.S.V.)
- Department of Obstetrics and Gynecology, Pediatrics, Preventive Medicine and Public Health, Toxicology, Legal and Forensic Medicine and Parasitology, Pharmacy Faculty, University of La Laguna, 38200 San Cristóbal de La Laguna, Spain; atorre@ull.edu.es (A.H.d.l.T.); crubio@ull.edu.es (C.R.A.)
- * Correspondence: conrado.carrascosa@ulpgc.es

Abstract: The development and consumption of genetically modified (GM) crops are surrounded by controversy. According to proponents, only molecular biology approaches and genetic engineering tools are realistic food shortage solutions for the world's ever-growing population. The main purpose of this study is to review the impact of GM products on human, animal, and environmental health. People still reject GM crops not only because of safety concerns, but also for moral reasons. Toxicity, allergies, and possible horizontal gene transfer (HGT) to the environment or to other species have been associated with the marketing of GM products. Moreover, the scarce data available about the long-term implications of using GM crops is another opponent concern. Nevertheless, science has evidenced no harm from GM crops use to date but has, instead, reported several benefits that result from their commercialization, such as economic, environmental, and health benefits for the general public. Legislation and policies about GM product labeling standards are being discussed. To overcome emerging food security challenges, considering quality scientific information is essential rather than leaving the issue and merely moving toward moral discussion. Hence, a risk-benefit analysis is necessary.



Citation: Vega Rodríguez, A.; Rodríguez-Oramas, C.; Sanjuán Velázquez, E.; Hardisson de la Torre, A.; Rubio Armendáriz, C.; Carrascosa Iruzubieta, C. Myths and Realities about Genetically Modified Food: A Risk-Benefit Analysis. Appl. Sci. 2022, 12, 2861. https://doi.org/10.3390/



E.O Wilson on synthetic biology & GMOs

Its potential benefits, easily visualized as spreading through medicine and agriculture, are limited only by imagination

It will bring to center stage the microbe-based increase of food and energy

Each GMO technology needs to be carefully monitored, one at a time. And where they pose no great problem, we should go ahead with them, because in general the benefits vastly outweigh the risk

I did a study of GMOS about 15-20 years ago when the conflict first began, and I could find very little reason to suppose that they were a menace to people or environment that they were thought to be







Many GMO researchers work on 3rd world needs

https://allianceforscience.cornell.edu/blog/2017/04/gmo-banana-offers-hope-for-disease-and-pest-resistance/

All pesticides have risks!







Organic ≠ Safe

Synthetic ≠ Highly toxic


Natural ≠ Safe



No endorsement intended or implied

NATIONAL CANCER INSTITUT

Cancers Associated with Drinking Alcohol



Clear patterns have emerged between alcohol consumption and the development of cancers


- Increased risk can be as much as:
 - 1 drink a day can be 1.3-fold higher*
 - 2 -3 drinks per day can be 1.8-fold higher*
 - >3 drinks per day can be 2-fold higher *


*cancer.gov

Are the "Dirty Dozen" actually "dirty"?

PDP commodity sampling is based on a rigorous statistical design that ensures the data are reliable for use in exposure assessments and can be used to draw various conclusions about the Nation's food supply

In 2020, over 99 percent of the samples tested had residues below the tolerances established by the EPA with 30 percent having no detectable residue





Conventional Produce			
Cucumbers	99.99% Non-detect	99.99976% Below tolerance	
Cherries	99.98% Non-detect	99.99984% Below tolerance	
Strawberries	99.98% Non-detect	99.99987% Below tolerance	
Lettuce	99.99% Non-detect	99.99997% Below tolerance	
Apples	99.98% Non-detect	100.0000% Below tolerance	
Spinach	99.96% Non-detect	99.99988% Below tolerance	

2016 USDA Pesticide Data Program Is that dirty?



SPATHIUS GALINAE



SPATHIUS AGRILI



OOBIUS AGRILI



TETRASTICHUS PLANIPENNISI

You can read the documents and public comments by visiting https://www.regulations.gov/docket?D=APHIS2014-0094

Biological controls may save our ash

Is it safe to release wasps since they are non-native insects?

Before the wasps were released, research in China and in the United States revealed that the wasps prefer EAB over other insects

No adverse effects were found or raised through the environmental assessment process





Need more than coexistence

usda.gov/topics/farming/coexistence